



TEST
Glassware



G L A S S W A R E

INDEX

| Particulars | Page No. |
|--|----------|
| A | |
| Air Condenser Borosilicate glass | 10 |
| Allhin Condenser Borosilicate | 11 |
| Apron White PVC | 26 |
| Atomic Model Set, Senior & Junior Set | 26 |
| Atomic Model Set, Teacher & Student Set | 26 |
| Automatic Burette , Clear Glass with PTFE key stopcock | 10 |
| B | |
| Balance Chemicals | 15 |
| Balance Double Beam | 15 |
| Balance Single Pan Triple Beam | 15 |
| Balance Weight Analytical | 15 |
| Base Retort Stand Rectangular | 29 |
| Base Retort Stand Triangular | 28 |
| Beakers Tall Form, with graduation | 1 |
| Beakers Low Form, with graduation | 1 |
| Bell Jar, Ground Flange | 18 |
| Bell Jar, Ground Joint | 18 |
| Blow Pipe, Nickel plated brass | 23 |
| BOD Bottles, Borosilicate Glass Stopper | 13 |
| Borosilicate Glass Tubing | 35 |
| Boss Head | 29 |
| Brushes Flask | 19 |
| Brushes Test tube, Galvanized wire | 19 |
| Brushes Test tube, Yarn Tip | 19 |
| Brushes, Burette | 19 |
| Brushes, Pipette | 19 |
| Brushes, Beaker | 19 |
| Brushes, Test Tube | 18 |
| Bulbs, Latex | 20 |
| Bulbs, Pipette | 20 |
| Bulbs, Rubber | 20 |
| Burette with PTFE key stopcock | 9 |
| Burette , with glass stopcock | 9 |
| Burette Clamp, Alloy casting jaws | 21 |
| Burette Clamp, Double | 21 |
| Burette Clamp, Single | 21 |
| Burette With PTFE needle valve stopcock | 9 |
| Burner | 16-17 |
| C | |
| Calvenger Apparatus Borosilicate | 14 |
| Carbon Electrodes | 32 |
| Centrifuge | 20 |
| Centrifuge tube Conical bottom | 12 |
| Centrifuge tube Plain Conical Bottom | 12 |
| Charcoal blocks | 24 |
| Clamp Universal | 29-30 |
| Clamp Universal Combined | 30 |
| Clay Pipe Triangle | 25 |
| Clinical Centrifuge | 20 |
| Cobalt Glass | 24 |
| Coil Condenser Borosilicate | 11 |

| | |
|---|----|
| Conical Flask , with joint | 5 |
| Conical Flask, With ground joint and hollow stopper | 5 |
| Cork Borer Brass, German Pattern | 23 |
| Cork Borer, Brass | 23 |
| Cork Borer, Sharpener | 23 |
| Cork Boring Machine | 23 |
| Cork Press | 23 |
| Cork Stopper Bark | 21 |
| Cork Stopper Bark, Assorted | 22 |
| Crucible Tongs With Bow | 31 |
| Crucible Tongs Straight | 31 |
| Crystal Model Set | 26 |
| Crystal Model Set | 26 |
| Culture Tube Round bottom | 12 |
| Culture Tubes Flat Bottom | 12 |

D

| | |
|--|----|
| Deflagrating Spoon | 24 |
| Deflagrating Spoon And Cap | 24 |
| Dessicator with Lid Plain | 14 |
| Dessicator with Lid Vacuum | 14 |
| Dish Crystalization | 16 |
| Dish Evaporation | 16 |
| Distillation Apparatus With Round Bottom Flask | 14 |
| Distillation Flask | 4 |
| Dropping Bottles, Narrow mouth (Plain & Amber), Borosilicate Interchangeable &Rubber stopper | 13 |
| Dropping Funnel, Graduated | 8 |

E

| | |
|--|----|
| Electronic Balance Analytical | 16 |
| Erlenmeyer Flask, narrow Neck, with graduation | 1 |
| Erlenmeyer Flask, wide neck, with graduation | 1 |

F

| | |
|---|----|
| Face Shield | 26 |
| Filter Paper As good as WHATMAN No. 1 | 24 |
| Filter Paper Equivalent to WHATMAN No. 1 | 24 |
| Filter Paper Student's quality | 24 |
| Filter Pump Brass | 24 |
| Filter Pump Brass | 24 |
| Filter Sheets | 24 |
| Filtration Flask Bottle Neck Flask | 5 |
| Filtration Funnel | 8 |
| Flame Spreader | 17 |
| Flat Bottom Flask, Narrow Neck, with beaded rim | 4 |
| Flat Bottom Flask, wide neck with beaded rim | 4 |
| Flat Bottom Flask, Narrow Neck With joint | 2 |
| Funnel & Burette Stand | 30 |
| Funnel Stand | 30 |

G

| | |
|--|----|
| Gas Tap | 33 |
| Gas Washing Bottles Interchangeable Joints | 13 |
| Gauge Wire Iron | 25 |
| Glass Tubing Cutter | 32 |
| Glass Tubing Diamond | 32 |
| Glass wool | 24 |

H

| | |
|---|----|
| Hand Centrifuge | 21 |
| Hexagonal Base Measuring Cylinder with PP stopper | 6 |
| Hoffman Voltmeter | 32 |

I

| | |
|--------------|---|
| Iodine Flask | 4 |
|--------------|---|

J

| | |
|-----------------|----|
| Jack Laboratory | 28 |
|-----------------|----|

K

| | |
|--------------------------------|---|
| Kjeldahl Flask with Plain Neck | 5 |
|--------------------------------|---|

L

| | |
|--------------------------------|----|
| Lab Coat | 26 |
| Lens Cleaning Tissue | 27 |
| Lie Big Condenser Borosilicate | 10 |

M

| | |
|---|----|
| Mac-Cartney Bottles (Soda glass) with Aluminium Cap | 13 |
| Masses For Balance Triple Beam | 15 |
| Measuring Cylinder, with Hexagonal Base | 6 |
| Measuring Cylinder, with PP Stopper | 7 |
| Measuring Cylinder, with protection collar | 6 |
| Measuring Cylinder with round base | 6 |
| Mohr Pipettes, Graduated | 9 |

N

| | |
|------------------------------------|----|
| Nessler Measuring Cylinder Class A | 7 |
| Neutral Glass Tubing | 34 |

P

| | |
|--------------------------------------|----|
| Paper Indicator | 27 |
| Paper Litmus | 27 |
| Paper Test pH | 27 |
| Pear Separating Funnels | 7 |
| Petri Dish Soda Glass & Borosilicate | 14 |
| Pipette Filler | 25 |
| Pipette Stand | 26 |
| Pipettes dropping Glass | 25 |
| Powder Funnel | 8 |

R

| | |
|--|----|
| Reagent Bottles, Narrow Mouth (Plain & Amber), Borosilicate Autoclavable Screw Cap | 13 |
| Reagent Bottles, Narrow mouth (Plain & Amber), Borosilicate PP Stopper | 13 |
| Round Bottom Flask, With 3 angular neck | 3 |
| Round Bottom Flask, With 3 Parallel neck | 3 |
| Round Bottom Flask Wide Neck, with joint | 2 |
| Round Bottom Flask, wide neck | 2 |
| Round Bottom Flask, narrow Neck | 2 |
| Round Bottom Flask, with two neck | 3 |

S

| | |
|-----------------------------------|----|
| Safety Goggles | 26 |
| Salt Bridge | 34 |
| Schelbach Burette With Stop Cocks | 9 |
| Serological Pipette, Graduated | 8 |
| Soxhelt Apparatus | 14 |
| Spatula Chattaway | 27 |
| Spatula Combustion | 28 |
| Spatula Palette Knife | 28 |

| | |
|---------------------------------------|----|
| Spatula Polypropylene | 27 |
| Spatula Raised Center | 27 |
| Spatula Stainless steel | 27 |
| Spatula Stainless Steel, Double ended | 27 |
| Spatula trowel | 27 |
| Specific Gravity Bottle Borosilicate | 14 |
| Spirit Lamp, Glass | 25 |
| Spirit Lamp-Brass, S.S Sheet | 25 |
| Squibb Separating Funnels | 7 |
| Stopper rubber Two hole | 23 |
| Stopper Rubber | 22 |
| Stopper Rubber One hole | 23 |
| Stopper Rubber Solid | 22 |

T

| | |
|---------------------------------------|----|
| Teat, Pipette | 20 |
| Test tube (Re-usable) | 12 |
| Test Tube Holder Steel & Brass | 31 |
| Test Tube Holder, Aluminium | 31 |
| Test Tube Holder, Wooden | 31 |
| Test Tube Stand, Aluminium | 31 |
| Test Tube Stand, wooden | 30 |
| Test Tube Wire Steel | 31 |
| Thermometers, Mercury, White Backed | 33 |
| Thermometers, Mercury, Yellow Backed | 33 |
| Thermometers, Red/ Blue Spirit Filled | 34 |
| Thermometers, Red/ Blue Spirit Filled | 34 |
| Tong Beaker Stainless Steel | 31 |
| Tong Flask Safety | 31 |
| Tripod Stand Circular | 28 |
| Tripod Stand Triangular | 28 |
| Tube Rubber For Burners | 17 |
| Tubing Capillary | 35 |
| Tubing Rubber Latex | 33 |
| Tubing Rubber Red | 32 |
| Tubing Soda Glass | 34 |
| Tubs Delivery | 35 |

V

| | |
|--|---|
| Volumetric Flask (Clear Glass) PP Stopper& Glass Stopper | 6 |
| Volumetric Flask, (Amber Glass) | 6 |
| Volumetric Pipettes | 8 |

W

| | |
|---|----|
| Watch Glasses | 25 |
| Water Bath Aluminium Hemispherical | 17 |
| Water Bath, Copper Digital & Non- Digital | 18 |
| Water Bath, Copper Hemispherical | 17 |
| Water Bath, Copper Serological | 18 |
| Water Tap, Swan Neck | 33 |
| Wire Holder | 25 |
| Wire Platinum | 25 |

BEAKERS

Beakers Low Form with graduation

These beakers come with white graduation and marking area for use with an ordinary pencil. The beaker has a uniform wall thickness which makes it ideal for heating application.

These beakers can be provided in white & blue color printing.

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0051 | 10 |
| RG-0052 | 25 |
| RG-0053 | 50 |
| RG-0054 | 100 |
| RG-0055 | 150 |
| RG-0056 | 250 |
| RG-0057 | 400 |
| RG-0058 | 500 |
| RG-0059 | 600 |
| RG-0060 | 1000 |
| RG-0061 | 2000 |
| RG-0062 | 3000 |



Beakers Tall Form with graduation



| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0101 | 50 |
| RG-0102 | 100 |
| RG-0103 | 150 |
| RG-0104 | 250 |
| RG-0105 | 400 |
| RG-0106 | 500 |
| RG-0107 | 600 |
| RG-0108 | 1000 |

ERLENMEYER FLASK

Erlenmeyer Flask, narrow Neck with graduation

These flasks come with a rim and are manufactured from thick glass.

These flasks come with white graduation and marking area for use with ordinary pencil. These flasks can be provided in white and blue color printing.

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0151 | 25 |
| RG-0152 | 50 |
| RG-0153 | 100 |
| RG-0154 | 250 |
| RG-0155 | 500 |
| RG-0156 | 1000 |
| RG-0157 | 2000 |
| RG-0158 | 3000 |
| RG-0159 | 5000 |



Erlenmeyer Flask, wide neck with graduation



| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0201 | 25 |
| RG-0202 | 50 |
| RG-0203 | 100 |
| RG-0204 | 250 |
| RG-0205 | 500 |
| RG-0206 | 1000 |
| RG-0207 | 2000 |

BOILING FLASK

Round Bottom Flask, narrow Neck

These flask comes with rim and the manufactured from thick glass. These flask comes with white Printing and marking area for use with ordinary pencil.

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0251 | 50 |
| RG-0252 | 100 |
| RG-0253 | 250 |
| RG-0254 | 500 |
| RG-0255 | 1000 |
| RG-0256 | 2000 |
| RG-0257 | 3000 |
| RG-0258 | 5000 |
| RG-0259 | 10000 |



Round Bottom Flask, wide neck



| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0301 | 50 |
| RG-0302 | 100 |
| RG-0303 | 250 |
| RG-0304 | 500 |
| RG-0305 | 1000 |
| RG-0306 | 2000 |

Round Bottom Flask Wide Neck, with joint

| Model No. | Cap. (ml.) | Socket Size | Model No. | Cap. (ml.) | Socket Size |
|-----------|------------|-------------|-----------|------------|-------------|
| RG-0601 | 100 | 19/26 | RG-0613 | 1000 | 29/32 |
| RG-0602 | 100 | 24/29 | RG-0614 | 1000 | 34/35 |
| RG-0603 | 100 | 29/32 | RG-0615 | 2000 | 24/29 |
| RG-0604 | 250 | 14/23 | RG-0616 | 2000 | 29/32 |
| RG-0605 | 250 | 19/26 | RG-0617 | 2000 | 34/35 |
| RG-0606 | 250 | 24/29 | RG-0618 | 3000 | 29/32 |
| RG-0607 | 250 | 29/32 | RG-0619 | 3000 | 45/40 |
| RG-0608 | 500 | 19/26 | RG-0620 | 5000 | 29/32 |
| RG-0609 | 500 | 24/29 | RG-0621 | 5000 | 45/40 |
| RG-0610 | 500 | 29/32 | RG-0622 | 10000 | 29/32 |
| RG-0611 | 1000 | 19/26 | RG-0623 | 10000 | 45/40 |
| RG-0612 | 1000 | 24/29 | | | |



Flat Bottom Flask, Narrow Neck With joint

| Model No. | Capacity (ml.) | Socket Size |
|-----------|----------------|-------------|
| RG-0631 | 250 | 29/32 |
| RG-0632 | 500 | 19/16 |
| RG-0633 | 500 | 24/29 |
| RG-0634 | 500 | 29/32 |
| RG-0635 | 1000 | 24/29 |
| RG-0636 | 1000 | 29/32 |
| RG-0637 | 1000 | 34/35 |
| RG-0638 | 2000 | 24/29 |
| RG-0639 | 2000 | 29/32 |
| RG-0640 | 2000 | 34/35 |

Round Bottom Flask, with two neck



| Model No. | Cap (ml.) | Socket | Side Sockets |
|-----------|-----------|--------|--------------|
| RG-0651 | 50 | 24/29 | 14/23 |
| RG-0652 | 50 | 29/32 | 14/23 |
| RG-0653 | 100 | 24/29 | 14/23 |
| RG-0654 | 100 | 24/29 | 19/26 |
| RG-0655 | 100 | 29/32 | 14/23 |
| RG-0656 | 250 | 24/29 | 14/23 |
| RG-0657 | 250 | 24/29 | 19/26 |
| RG-0658 | 250 | 29/32 | 14/23 |
| RG-0659 | 500 | 24/29 | 14/23 |
| RG-0660 | 500 | 24/29 | 19/26 |
| RG-0661 | 500 | 29/32 | 14/23 |
| RG-0662 | 1000 | 24/29 | 14/23 |
| RG-0663 | 1000 | 24/29 | 19/26 |
| RG-0664 | 1000 | 29/32 | 14/23 |
| RG-0665 | 2000 | 24/35 | 19/26 |

Round Bottom Flask, with 3 angular neck

| Model No. | Cap. (ml.) | Center Socket | Side Sockets | Model No. | Cap. (ml.) | Center Socket | Side Sockets |
|-----------|------------|---------------|--------------|-----------|------------|---------------|--------------|
| RG-0701 | 100 | 19/26 | 14/23 | RG-0713 | 500 | 29/32 | 14/23 |
| RG-0702 | 100 | 24/29 | 14/23 | RG-0714 | 500 | 29/32 | 19/26 |
| RG-0703 | 100 | 24/29 | 19/26 | RG-0715 | 500 | 29/32 | 29/32 |
| RG-0704 | 100 | 29/32 | 14/23 | RG-0716 | 1000 | 24/29 | 14/23 |
| RG-0705 | 250 | 19/26 | 19/26 | RG-0717 | 1000 | 24/29 | 19/26 |
| RG-0706 | 250 | 24/29 | 14/23 | RG-0718 | 1000 | 29/32 | 14/23 |
| RG-0707 | 250 | 24/29 | 19/26 | RG-0719 | 1000 | 29/32 | 19/26 |
| RG-0708 | 250 | 29/32 | 14/23 | RG-0720 | 1000 | 29/32 | 29/32 |
| RG-0709 | 250 | 29/32 | 19/26 | RG-0721 | 2000 | 24/29 | 19/26 |
| RG-0710 | 250 | 29/32 | 29/32 | RG-0722 | 2000 | 29/32 | 24/29 |
| RG-0711 | 500 | 24/29 | 14/23 | RG-0723 | 2000 | 29/32 | 29/32 |
| RG-0712 | 500 | 24/29 | 19/26 | | | | |



Round Bottom Flask, with 3 Parallel neck



| Model No. | Capacity (ml.) | Center Socket | Side Sockets |
|-----------|----------------|---------------|--------------|
| RG-0751 | 250 | 24/29 | 19/26 |
| RG-0752 | 250 | 29/32 | 14/23 |
| RG-0753 | 250 | 29/32 | 29/32 |
| RG-0754 | 500 | 24/29 | 19/26 |
| RG-0755 | 500 | 29/32 | 14/23 |
| RG-0756 | 500 | 29/32 | 19/26 |
| RG-0757 | 500 | 29/32 | 29/32 |
| RG-0758 | 1000 | 24/29 | 19/26 |
| RG-0759 | 1000 | 29/32 | 14/23 |
| RG-0760 | 1000 | 29/32 | 19/26 |
| RG-0761 | 1000 | 29/32 | 24/29 |
| RG-0762 | 1000 | 29/32 | 29/32 |
| RG-0763 | 2000 | 24/29 | 19/26 |
| RG-0764 | 2000 | 29/32 | 19/26 |
| RG-0765 | 2000 | 29/32 | 29/32 |
| RG-0766 | 2000 | 34/35 | 19/26 |
| RG-0767 | 2000 | 34/35 | 24/29 |

Flat Bottom Flask Narrow Neck, with beaded rim

Flat Bottom Flask, wide neck with beaded rim

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0351 | 50 |
| RG-0352 | 100 |
| RG-0353 | 250 |
| RG-0354 | 500 |
| RG-0355 | 1000 |
| RG-0356 | 2000 |
| RG-0357 | 3000 |
| RG-0358 | 5000 |
| RG-0359 | 10000 |



| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0401 | 50 |
| RG-0402 | 100 |
| RG-0403 | 250 |
| RG-0404 | 500 |
| RG-0405 | 1000 |
| RG-0406 | 2000 |

DISTILLATION FLASK

Distillation Flask

| Model No. | Cap. (ml.) |
|----------------------|------------|
| RG-0451 | 125 |
| RG-0451 (With Joint) | 125 |



IODINE FLASK



Iodine Flask, with ground joint and stopper

| Model No. | Capacity (ml.) |
|-----------|----------------|
| RG-0501 | 250 |
| RG-0502 | 500 |

CONICAL FLASK

Conical Flask, with joint

| Model No. | Cap. (ml.) | Socket Size | Model No. | Cap. (ml.) | Socket Size |
|-----------|------------|-------------|-----------|------------|-------------|
| RG-0551 | 25 | 14/23 | RG-0564 | 250 | 29/32 |
| RG-0552 | 25 | 19/26 | RG-0565 | 300 | 29/32 |
| RG-0553 | 50 | 14/23 | RG-0566 | 500 | 19/26 |
| RG-0554 | 50 | 19/26 | RG-0567 | 500 | 24/29 |
| RG-0555 | 50 | 24/29 | RG-0568 | 500 | 29/32 |
| RG-0556 | 50 | 29/32 | RG-0569 | 1000 | 24/29 |
| RG-0557 | 100 | 14/23 | RG-0570 | 1000 | 29/32 |
| RG-0558 | 100 | 19/26 | RG-0571 | 1000 | 34/35 |
| RG-0559 | 100 | 24/29 | RG-0572 | 2000 | 29/32 |
| RG-0560 | 100 | 29/32 | RG-0573 | 2000 | 34/35 |
| RG-0561 | 200 | 29/32 | RG-0574 | 3000 | 45/40 |
| RG-0562 | 250 | 19/16 | RG-0575 | 5000 | 45/40 |
| RG-0563 | 250 | 24/29 | | | |



Filtration Flask

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0591 | 100 |
| RG-0592 | 250 |
| RG-0593 | 500 |
| RG-0594 | 1000 |
| RG-0595 | 2000 |



Conical Flask, With ground joint and hollow stopper



| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0580 | 100 |
| RG-0581 | 250 |
| RG-0582 | 500 |
| RG-0583 | 1000 |
| RG-0584 | 2000 |

Kjeldahl Flask with Plain Neck

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0901 | 100 |
| RG-0902 | 300 |
| RG-0903 | 500 |
| RG-0904 | 800 |



VOLUMETRIC FLASK

Volumetric Flask (Clear Glass) PP Stopper & Glass Stopper

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-0951 | 5 |
| RG-0952 | 10 |
| RG-0953 | 20 |
| RG-0954 | 25 |
| RG-0955 | 50 |
| RG-0956 | 100 |
| RG-0957 | 200 |
| RG-0958 | 250 |
| RG-0959 | 500 |
| RG-0960 | 1000 |
| RG-0961 | 2000 |



Volumetric Flask (Amber Glass) PP Stopper & Glass Stopper

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-01001 | 5 |
| RG-01002 | 10 |
| RG-01003 | 20 |
| RG-01004 | 25 |
| RG-01005 | 50 |
| RG-01006 | 100 |
| RG-01007 | 200 |
| RG-01008 | 250 |
| RG-01009 | 500 |
| RG-01010 | 1000 |
| RG-01011 | 2000 |



MEASURING CYLINDER

Measuring Cylinder, with protection collar

These cylinder of class A are printed in blue color and class B in white color. These cylinder comes in detachable plastic base protection collar.

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-01051 | 10 |
| RG-01052 | 25 |
| RG-01053 | 50 |
| RG-01054 | 100 |
| RG-01055 | 250 |
| RG-01056 | 500 |
| RG-01057 | 1000 |
| RG-01058 | 2000 |



Measuring Cylinder with round base

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-01101 | 5 |
| RG-01102 | 10 |
| RG-1103 | 25 |
| RG-01104 | 50 |
| RG-01105 | 100 |
| RG-01106 | 250 |
| RG-01107 | 500 |
| RG-01108 | 1000 |
| RG-01109 | 2000 |



Measuring Cylinder, with Hexagonal Base

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-01151 | 10 |
| RG-01152 | 25 |
| RG-01153 | 50 |
| RG-01154 | 100 |
| RG-01155 | 250 |
| RG-01156 | 500 |
| RG-01157 | 1000 |
| RG-01158 | 2000 |



Measuring Cylinder with PP Hexagonal Base stopper

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-01201 | 10 |
| RG-01202 | 25 |
| RG-01203 | 50 |
| RG-01204 | 100 |
| RG-01205 | 250 |
| RG-01206 | 500 |
| RG-01207 | 1000 |
| RG-01208 | 2000 |



Measuring Cylinder, (Round base) with PP Stopper

| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-01251 | 10 |
| RG-01252 | 25 |
| RG-01253 | 50 |
| RG-01254 | 100 |
| RG-01255 | 250 |
| RG-01256 | 500 |
| RG-01257 | 1000 |
| RG-01258 | 2000 |



Nessler Measuring Cylinder Class A


| Model No. | Cap. (ml.) |
|-----------|------------|
| RG-01301 | 10 |
| RG-01302 | 25 |
| RG-01303 | 50 |
| RG-01304 | 100 |
| RG-01305 | 250 |
| RG-01306 | 500 |
| RG-01307 | 1000 |
| RG-01308 | 2000 |



SEPARATING FUNNEL


Squibb Separating Funnels

| Model No. | Cap. (ml.) | N/s | Stop Cock Type | Model No. | Cap. (ml.) | N/s | Stop Cock Type |
|-----------|------------|-------|----------------|-----------|------------|-------|----------------|
| RG-01351 | 50 | 19/26 | Solid Glass | RG-01360 | 500 | 29/32 | Rota-flow |
| RG-01352 | 100 | 19/26 | Solid Glass | RG-01361 | 1000 | 29/32 | Rota-flow |
| RG-01353 | 250 | 29/32 | Solid Glass | RG-01362 | 2000 | 29/32 | Rota-flow |
| RG-01354 | 500 | 29/32 | Solid Glass | RG-01363 | 50 | 19/26 | PTFE |
| RG-01355 | 1000 | 29/32 | Solid Glass | RG-01364 | 100 | 19/26 | PTFE |
| RG-01356 | 2000 | 29/32 | Solid Glass | RG-01365 | 250 | 29/32 | PTFE |
| RG-01357 | 50 | 19/26 | Rota-flow | RG-01366 | 500 | 29/32 | PTFE |
| RG-01358 | 100 | 19/26 | Rota-flow | RG-01367 | 1000 | 29/32 | PTFE |
| RG-01359 | 250 | 29/32 | Rota-flow | RG-01368 | 2000 | 29/32 | PTFE |



Pear Separating Funnels

| Model No. | Cap. (ml.) | N/s | Stop Cock Type | Model No. | Cap. (ml.) | N/s | Stop Cock Type |
|-----------|------------|-------|----------------|-----------|------------|-------|----------------|
| RG-01401 | 50 | 19/26 | Solid Glass | RG-014 10 | 500 | 29/32 | Rota-flow |
| RG-01402 | 100 | 19/26 | Solid Glass | RG-014 11 | 1000 | 29/32 | Rota-flow |
| RG-01403 | 250 | 29/32 | Solid Glass | RG-014 12 | 2000 | 29/32 | Rota-flow |
| RG-01404 | 500 | 29/32 | Solid Glass | RG-014 13 | 50 | 19/26 | PTFE |
| RG-01405 | 1000 | 29/32 | Solid Glass | RG-014 14 | 100 | 19/26 | PTFE |
| RG-01406 | 2000 | 29/32 | Solid Glass | RG-014 15 | 250 | 29/32 | PTFE |
| RG-01407 | 50 | 19/26 | Rota-flow | RG-014 16 | 500 | 29/32 | PTFE |
| RG-01408 | 100 | 19/26 | Rota-flow | RG-014 17 | 1000 | 29/32 | PTFE |
| RG-01409 | 250 | 29/32 | Rota-flow | RG-014 18 | 2000 | 29/32 | PTFE |



DROPPING FUNNEL

Droping Funnel Graduated

| Model No. | Cap. (ml.) | N/s | Stop Cock Type | Model No. | Cap. (ml.) | N/s | Stop Cock Type |
|-----------|------------|-------|----------------|-----------|------------|-------|----------------|
| RG-0145 1 | 50 | 14/23 | Solid Glass | RG-0146 2 | 250 | 29/32 | Rota- flow |
| RG-0145 2 | 50 | 29/32 | Solid Glass | RG-0146 3 | 500 | 29/32 | Rota- flow |
| RG-0145 3 | 100 | 14/23 | Solid Glass | RG-0146 4 | 1000 | 29/32 | Rota- flow |
| RG-0145 4 | 100 | 29/32 | Solid Glass | RG-0146 5 | 50 | 14/23 | PTFE |
| RG-0145 5 | 250 | 29/32 | Solid Glass | RG-0146 6 | 50 | 29/32 | PTFE |
| RG-0145 6 | 500 | 29/32 | Solid Glass | RG-0146 7 | 100 | 14/23 | PTFE |
| RG-0145 7 | 1000 | 29/32 | Solid Glass | RG-0146 8 | 100 | 29/32 | PTFE |
| RG-0145 8 | 50 | 14/23 | Rota- flow | RG-0146 9 | 250 | 29/32 | PTFE |
| RG-0145 9 | 50 | 29/32 | Rota- flow | RG-0147 0 | 500 | 29/32 | PTFE |
| RG-0146 0 | 100 | 14/23 | Rota- flow | RG-0147 1 | 1000 | 29/32 | PTFE |
| RG-0146 1 | 100 | 29/32 | Rota- flow | | | | |



FUNNEL

Filtration Funnel

| Model No. | Dia. (mm.) |
|-----------|------------|
| RG-02001 | 25 |
| RG-02002 | 35 |
| RG-02003 | 38 |
| RG-02004 | 40 |
| RG-02005 | 50 |
| RG-02006 | 55 |
| RG-02007 | 65 |
| RG-02008 | 70 |
| RG-02009 | 75 |
| RG-02010 | 80 |
| RG-02011 | 100 |
| RG-02012 | 125 |
| RG-02013 | 150 |



Powder Funnel

| Model No. | N/S Size | Dia. (mm.) |
|-----------|----------|------------|
| RG-02051 | 14/23 | 45 |
| RG-02052 | 14/23 | 70 |
| RG-02053 | 29/32 | 70 |
| RG-02054 | 29/32 | 80 |
| RG-02055 | 14/23 | 100 |
| RG-02056 | 29/32 | 10 |



PIPETTES

Volumetric Pipettes

| Model No. | Capacity (ml.) | Tolerance |
|-----------|----------------|-----------|
| RG-03001 | 1 | 0.006 |
| RG-03002 | 2 | 0.006 |
| RG-03003 | 5 | 0.010 |
| RG-03004 | 10 | 0.020 |
| RG-03005 | 20 | 0.030 |
| RG-03006 | 25 | 0.030 |
| RG-03007 | 50 | 0.050 |
| RG-03008 | 100 | 0.080 |




Serological Pipette Graduated



| Model No. | Capacity (ml.) | Tolerance |
|-----------|----------------|-----------|
| RG-03051 | 0.1 | 0.010 |
| RG-03052 | 0.2 | 0.010 |
| RG-03053 | 1 | 0.010 |
| RG-03054 | 2 | 0.010 |
| RG-03055 | 5 | 0.020 |
| RG-03056 | 10 | 0.030 |
| RG-02057 | 25 | 0.050 |

Mohr Pipettes Graduated

| Model No. | Capacity (ml.) | Tolerance |
|-----------|----------------|-----------|
| RG-04001 | 0.1 | 0.006 |
| RG-04002 | 0.2 | 0.006 |
| RG-04003 | 1 | 0.007 |
| RG-04004 | 2 | 0.010 |
| RG-04005 | 5 | 0.030 |
| RG-04006 | 10 | 0.050 |
| RG-04007 | 25 | 0.100 |



BURETTES

Burette with glass stopcock

| Model No. | Cap. (ml.) | Tolerance |
|-----------|------------|-----------|
| RG-05001 | 10 | 0.03 |
| RG-05002 | 25 | 0.05 |
| RG-05003 | 50 | 0.05 |



Burette with PTFE needle valve stopcock

| Model No. | Cap. (ml.) | Tolerance |
|-----------|------------|-----------|
| RG-05051 | 10 | 0.03 |
| RG-05052 | 25 | 0.05 |
| RG-05053 | 50 | 0.05 |



Burette with PTFE key stopcock

| Model No. | Cap. (ml.) | Tolerance |
|-----------|------------|-----------|
| RG-05101 | 10 | 0.03 |
| RG-05102 | 25 | 0.05 |
| RG-05103 | 50 | 0.05 |




Schelbach Burette with stopcock

| Model No. | Cap. (ml.) | Tolerance |
|-----------|------------|-----------|
| RG-05151 | 10 | 0.03 |
| RG-05152 | 25 | 0.05 |
| RG-05153 | 50 | 0.05 |



Automatic Burette , Clear Glass with PTFE key stopcock

| Model No. | Capacity (ml.) | Tolerance |
|-----------|----------------|-----------|
| RG-05201 | 10 | 0.03 |
| RG-05202 | 25 | 0.05 |
| RG-05203 | 50 | 0.05 |



CONDENSERS

Air Condenser Borosilicate glass

| Model No. | Socket | Cone | Effective length |
|-----------|--------|-------|------------------|
| RG-05501 | 14/23 | 14/23 | 200 |
| RG-05502 | 19/26 | 19/26 | 200 |
| RG-05503 | 24/29 | 24/29 | 250 |
| RG-05504 | 19/26 | 19/26 | 400 |
| RG-05505 | 24/29 | 24/29 | 500 |
| RG-05506 | 34/35 | 34/35 | 500 |
| RG-05507 | 19/26 | 19/26 | 600 |
| RG-05508 | 24/29 | 24/29 | 750 |
| RG-05509 | - | 19/26 | 750 |
| RG-05510 | - | 24/29 | 750 |
| RG-05511 | - | 19/26 | 1000 |
| RG-05512 | - | 24/29 | 1000 |



Liebig Condenser Borosilicate Glass



| Model No. | Socket | Cone | Effective length |
|-----------|--------|-------|------------------|
| RG-05601 | 14/23 | 14/23 | 160 |
| RG-05602 | 19/26 | 19/26 | 160 |
| RG-05603 | 19/26 | 19/26 | 250 |
| RG-05604 | 24/29 | 24/29 | 250 |
| RG-05605 | 29/32 | 29/32 | 250 |
| RG-05606 | 19/26 | 19/26 | 300 |
| RG-05607 | 24/29 | 24/29 | 300 |
| RG-05608 | 29/32 | 29/32 | 300 |
| RG-05609 | 24/29 | 24/29 | 400 |
| RG-05610 | 29/32 | 29/32 | 400 |
| RG-05611 | 14/23 | 14/23 | 160 |
| RG-05612 | 19/26 | 19/26 | 160 |
| RG-05613 | 19/26 | 19/26 | 250 |
| RG-05614 | 24/29 | 24/29 | 250 |
| RG-05615 | 29/32 | 29/32 | 250 |
| RG-05616 | 19/26 | 19/26 | 250 |
| RG-05617 | 24/29 | 24/29 | 300 |
| RG-05618 | 29/32 | 29/32 | 300 |
| RG-05619 | 24/29 | 24/29 | 400 |
| RG-05620 | 29/32 | 29/32 | 400 |

Coil Condenser Borosilicate Glass

| Model No. | Socket | Cone | Effective length |
|-----------|--------|-------|------------------|
| RG-05701 | 14/23 | 14/23 | 160 |
| RG-05702 | 19/26 | 19/26 | 160 |
| RG-05703 | 19/26 | 19/26 | 250 |
| RG-05704 | 24/29 | 24/29 | 250 |
| RG-05705 | 29/32 | 29/32 | 250 |
| RG-05706 | 19/26 | 19/26 | 300 |
| RG-05707 | 24/29 | 24/29 | 300 |
| RG-05708 | 29/32 | 29/32 | 300 |
| RG-05709 | 24/29 | 24/29 | 400 |
| RG-05710 | 29/32 | 29/32 | 400 |
| RG-05711 | 14/23 | 14/23 | 160 |
| RG-05712 | 19/26 | 19/26 | 160 |
| RG-05713 | 19/26 | 19/26 | 250 |
| RG-05714 | 24/29 | 24/29 | 250 |
| RG-05715 | 29/32 | 29/32 | 250 |
| RG-05716 | 19/26 | 19/26 | 250 |
| RG-05717 | 24/29 | 24/29 | 300 |
| RG-05718 | 29/32 | 29/32 | 300 |
| RG-05719 | 24/29 | 24/29 | 400 |
| RG-05720 | 29/32 | 29/32 | 400 |

**Allihn Condenser** Borosilicate Glass

| Model No. | Socket | Cone | Effective length |
|-----------|--------|-------|------------------|
| RG-05801 | 14/23 | 14/23 | 160 |
| RG-05802 | 19/26 | 19/26 | 160 |
| RG-05803 | 19/26 | 19/26 | 250 |
| RG-05804 | 24/29 | 24/29 | 250 |
| RG-05805 | 29/32 | 29/32 | 250 |
| RG-05806 | 19/26 | 19/26 | 300 |
| RG-05807 | 24/29 | 24/29 | 300 |
| RG-05808 | 29/32 | 29/32 | 300 |
| RG-05809 | 24/29 | 24/29 | 400 |
| RG-05810 | 29/32 | 29/32 | 400 |
| RG-05811 | 14/23 | 14/23 | 160 |
| RG-05812 | 19/26 | 19/26 | 160 |
| RG-05813 | 19/26 | 19/26 | 250 |
| RG-05814 | 24/29 | 24/29 | 250 |
| RG-05815 | 29/32 | 29/32 | 250 |
| RG-05816 | 19/26 | 19/26 | 250 |
| RG-05817 | 24/29 | 24/29 | 300 |
| RG-05818 | 29/32 | 29/32 | 300 |
| RG-05819 | 24/29 | 24/29 | 400 |
| RG-05820 | 29/32 | 29/32 | 400 |



CULTURE TUBE

Culture Tube Round bottom

| Model No. | O.D x length |
|-----------|--------------|
| RG-05901 | 12 x 100 |
| RG-05902 | 16 x 100 |
| RG-05903 | 16 x 125 |
| RG-05904 | 16 x 160 |
| RG-05905 | 18 x 180 |
| RG-05906 | 20 x 100 |
| RG-05907 | 20 x 200 |
| RG-05908 | 22 x 200 |
| RG-05909 | 25 x 100 |
| RG-05910 | 25 x 200 |



Culture Tube Flat bottom

| Model No. | Cap. (ml) | O.D x length |
|-----------|-----------|--------------|
| RG-06051 | 5 | 18 x 45 |
| RG-06052 | 10 | 25 x 57 |
| RG-06053 | 30 | 25 x 95 |
| RG-06054 | 40 | 25 x 145 |



CENTRIFUGE TUBE

Centrifuge tube Graduated Conical bottom

| Model No. | Cap. (ml) |
|-----------|-----------|
| RG-06151 | 5 |
| RG-06152 | 10 |
| RG-06153 | 15 |
| RG-06154 | 25 |
| RG 06155 | 50 |



Centrifuge tube Plain Conical Botom

| Model No. | Cap. (ml) |
|-----------|-----------|
| RG-06201 | 5 |
| RG-06202 | 10 |
| RG-06203 | 15 |
| RG-06204 | 25 |
| RG-06205 | 50 |



TEST TUBE

Test tube Borosilicate Glass

| Model No. | Height x O.D (mm) |
|-----------|-------------------|
| RG-06251 | 10 x 75 |
| RG-06252 | 12 x 75 |
| RG-06253 | 12 x 100 |
| RG-06254 | 15 x 125 |
| RG-06255 | 15 x 150 |
| RG-06256 | 18 x 150 |
| RG-06257 | 20 x 150 |
| RG-06258 | 25 x 150 |
| RG-06259 | 25 x 200 |



REAGENT BOTTLES

Reagent Bottles, Narrow mouth (Plain & Amber), Borosilicate Autoclavable Screw Cap

| Model No. | Capacity |
|-----------|----------|
| RG-06401 | 50 |
| RG-06402 | 100 |
| RG-06403 | 250 |
| RG-06404 | 500 |
| RG-06405 | 1000 |
| RG-06406 | 2000 |



Reagent Bottles, Narrow Mouth (Plain & Amber), Borosilicate With PP Stopper & Glass Stopper

| Model No. | Capacity |
|-----------|----------|
| RG-06451 | 100 |
| RG-06452 | 250 |
| RG-06453 | 500 |
| RG-06454 | 1000 |
| RG-06455 | 2000 |



Dropping Bottles, Narrow mouth (Plain & Amber), Borosilicate Interchangeable with Rubber stopper

| Model No. | Capacity |
|-----------|----------|
| RG-06551 | 30 |
| RG-06552 | 60 |
| RG-06553 | 120 |
| RG-06554 | 250 |



Mccartney Bottle (Soda glass) with Aluminium Cap

| Model No. | Capacity |
|-----------|----------|
| RG-06601 | 15 |
| RG-06602 | 30 |
| RG-06603 | 60 |



BOD Bottles, Borosilicate Glass Stopper

| Model No. | Capacity |
|-----------|----------|
| RG-06651 | 125 |
| RG-06652 | 300 |



Gas Washing Bottles Interchangeable Joints



| Model No. | Cap. (ml) |
|-----------|-----------|
| RG-06701 | 125 |
| RG-06702 | 250 |
| RG-06703 | 500 |

PETRI DISH

Petri Dish Soda Glass & Borosilicate Glass

| Model No. | Capacity |
|-----------|----------|
| RG-06751 | 5 CMS |
| RG-06752 | 7.5 CMS |
| RG-06753 | 9 CMS |
| RG-06754 | 10 CMS |
| RG-06755 | 12.5 CMS |
| RG-06756 | 15 CMS |
| RG-06757 | 20 CMS |



DESICCATOR

Desiccator with Lid Plain

Desiccator plain with knobbed lid, ground flanges, neutral glass with perforated porcelain plate

| Model No. | Capacity |
|-----------|----------|
| RG-06801 | 150 |
| RG-06802 | 210 |
| RG-06803 | 250 |
| RG-06802 | 300 |



Desiccator with Lid Vacuum

Desiccator vacuum with tubular lid, ground flanges with glass stop cock. Supplied with perforated porcelain plate.

| Model No. | Capacity |
|-----------|----------|
| RG-06851 | 150 |
| RG-06852 | 210 |
| RG-06853 | 250 |
| RG-06852 | 300 |



Clevenger Apparatus Borosilicate Glass

| Model No. | Capacity |
|-----------|----------|
| RG-06901 | 250 |
| RG-06902 | 500 |
| RG-06903 | 1000 |



Distillation Apparatus Kjeldahl Type)

| Model No. | Capacity |
|-----------|----------|
| RG-06951 | 250 |
| RG-06952 | 500 |
| RG-06953 | 1000 |



Specific Gravity Bottle Borosilicate

| Model No. | Cap. (ml) |
|-----------|-----------|
| RG-07001 | 250 |
| RG-07002 | 500 |
| RG-07003 | 1000 |



Soxhlet Apparatus

| Model No. | Cap. (ml) |
|-----------|-----------|
| RG-07051 | 250 |
| RG-07052 | 500 |
| RG-07053 | 1000 |



NOTE: We have complete range of glass socket, stoppers, stopcocks, still head, Splash head, receiver bends and different adapters etc.

BALANCE

Chemical Balance

RG-07150



It is of short-armed triangular type beam. It is highly suitable for research work in universities and industrial laboratories specially designed to maintain constant sensitivity under varying load and acute self-acting parallel arrestment of the beam. Capacity 200gm approx. with sensitivity of 0.1mg.

| | |
|--------------|----------|
| Model No. | RG-07001 |
| Capacity | 200 gm. |
| Sensitivity | 0.1 mg |
| Pan Diameter | 7.5 cm |

Balance Weight Analytical

Brass weights, in polished wooden case, with hinged lid. Divided compartments with dust proof cover holds nickel silver and aluminium fractions. With forceps. Accuracy ± 5 mg.

| Model No. | Capacity |
|-----------|----------------|
| RG-07151 | 1 mg to 50 gm |
| RG-07152 | 1 mg to 100 gm |
| RG-07153 | 1 mg to 200 gm |



Balance Single Pan Triple Beam

RG-07201



Triple Beam Balance are specially designed to handle weighing solids and powder. Three notched and tiered beams with center reading. Indicating sliding masses giving total weighing capacity of 610 gm. The capacity can be increased up to 2610 gm. by using supplementary masses. Spring loaded zero adjust compensator and magnetic damping are provided for fast setting and reading.

Masses For Balance Triple Beam

(RG-07251)

Masses set used with balance to increase to capacity up to 2610 gms. Comprises one 500 gm. and two 1000 gms. masses.



Balance Double Beam

RG-07301



Two pan balance for accurate and rapid weighing up to 2 kg. when used with supplementary masses. The balance has a cast alloy base and featured angled beam with center reading poises, magnetic damping, spring loaded zero adjusted compensator, precision ground knives and cross braced aluminium alloy beam.

| | |
|-------------------------|--|
| Model No. | RG-07301 |
| Beams | 0 to 200 g x 10 gm 0 to 10 g x 0.1 gm |
| Pan stainless steel dia | 150 mm |
| Accessory | Tare and rod optional |

Specially designed balance for schools, colleges, universities.

- Simple easy fluorescent display.
- Built- in calibration weight
- Capacity-210 gm
- Readability- 0.1 mg
- Stabilization time approx. 5 sec.
- Sensitivity drift (10°C- 30°C) ± 2 ppm / °C
- Weighing Pan dimensions 85 mm. dia.
- Density of solids can also be determined with optional density kit.



DISH CRYSTALLIZING

Borosilicate glass, flat bottom, with spout.

| Model No. | Outer Dia | Height |
|-----------|-----------|--------|
| RG-07401 | 100 mm | 50 mm |
| RG-07402 | 150 mm | 75 mm |
| RG-07403 | 190 mm | 100 mm |



DISH EVAPORATING

Borosilicate glass, round bottom, with spout

| Model No. | Outer Dia | Height |
|-----------|-----------|--------|
| RG-07451 | 80 mm | 45 mm |
| RG-07452 | 105 mm | 55 mm |
| RG-07453 | 150 mm | 80 mm |



BURNER

Bunsen Burner

(RG-07501)



Nickel plated burner tube with rotatable air regulator & Cylindrical rifflled connector, mounted on pressed steel base. Burner tube 12.5mm dia, base 75mm, dia overall height 150mm. Connector 10mm O.D. to be used with LPG Gas.

Bunsen Burner

(RG-07551)



Nickel plated burner tube with rotatable air regulator & cylindrical rifflled connector, fitted with stopcock, mounted on casted base. Burner tube 12.5 mm dia., base 75 mm. dia., overall height 150 mm. connector 10 mm. o.d. to be used with LPG gas.

Bunsen Burner Simple

(RG-07552)

Nickel plated burner tube with regulated air regulator air and cylindrical connector. Mounted on pressed steel base, burner tube Dia 13 x 110 mm, base Dia 85 mm. and overall height 150 mm.



It can be used with:
a. with LPG gas.
b. with natural gas.

Bunsen Burner

(RG-07553)

Nickel plated burner tube with regulated air regulator air and cylindrical connector. Mounted on pressed steel base, burner tube Dia 110 x 13 mm, base Dia 80 mm. and overall height 145 mm.

It can be used with:
a. with LPG gas.
b. with natural gas



Burner Tirril**(RG-07554)**

Burner Tirril allows adjustment of both the air supply and the gas supply. Adjustable air ports regulate the air supply and brass needle valve regulates the gas supply. Accepts burner tubing of 9 mm inside diameter. Maximum temperature of flame can reach 1550°C. Burner Specifications: Tube Dia. - 13 mm, Height - 155 mm

Burner Teclu**(RG-07555)**

For natural (methane) gas with conical mixing section, screwed air regulator, gas control needle valve, gives very hot flame suitable for glass work and soldering. Burner tube dia. 125 x 13 mm. connector Dia 9 mm, base 80 mm. dia.

**Burner Meker****(RG-07556)**

For high temperature work perforated steel plate on a nickel plated burner tube, mounted on enameled casted base with a rifflled gas inlet tube 10 mm O.D., burner plate dia. 22 mm. burner overall height 180 mm, base Dia 75 mm.

**Burner Semi Micro****(RG -07557)**

For natural (methane) gas with air regulator, burner tube dia. 5.5x100mm and connector 9 mm O.D.

**Tube Rubber For Burners****(Rg-07558)**

With reinforced ends for fitting to Bunsen burner and gas tap. Suitable for use with natural (Methane) gas burners.

07558A - 900mm
07558B - 600mm

**FLAME SPREADER****(Rg-07559)**

To fit on Bunsen burners

- > 11 mm.
- > 13 mm.



WATER BATH

Water Bath, Copper**Hemispherical**

Hemispherical, made of copper sheet, with two handles and a set of concentric rings.

| Model No. | Capacity |
|-----------|----------|
| RG-07601 | 100 mm |
| RG-07602 | 125 mm |
| RG-07603 | 150 mm |
| RG-07604 | 200 mm |

**Water Bath Aluminium****Hemispherical**

Hemispherical, made of aluminium sheet, with two handles and a set of concentric rings.

| Model No. | Capacity |
|-----------|----------|
| RG-07651 | 100 mm |
| RG-07652 | 125 mm |
| RG-07653 | 150 mm |
| RG-07654 | 200 mm |



Water Bath, Copper**Serological**

These unit are double walled with inner chamber made up of S.S sheet and outside of M.S. duly powder coated. The gap between the walls is fitted with special grade glass wool in order to avoid thermal losses. The inner chamber fitted with immersion type heating element is covered with perforated removable diffuser tray. The cover is provided with thermostat with accuracy of + 1oC. Workable on 220 V AC 50Hz Single phase.

It comes with:



- Microprocessor PID digital temp. Indicator cum controller.
- Stirrer with 1/20 Hp motor with S.S rod & blade.
- Auto cut off device when water level is low.

| Model No. | Chamber size in mms | Suitable Rack | Capacity |
|-----------------|---------------------|---------------|----------|
| RG-07670 | 300 x 175 x 175 | 1 Rack | 12 L |
| RG_07671 | 300 x 250 x 175 | 2 Racks | 14 L |
| RG 07672 | 375 x 300 x 175 | 4 Racks | 18 L |
| RG 07673 | 455 x 300 x 175 | 6 Racks | 25 L |
| RG 07674 | 605 x 300 x 175 | 8 Racks | 32 L |

Water Bath, Copper**Digital & Non- Digital(RG-07701)**

It is double walled unit with inner chamber made up of S.S sheet and outside of M.S. duly powder coated. The gap between the walls is fitted with special grade glass wool in order to avoid thermal losses.

Concentric rings can be removed to accommodate containers of various sizes. Temperature from ambient to 100° C is controlled by hydraulic capillary type thermostat with accuracy of + 1° C. workable on 220 V AC 50 Hz single phase.



| Model No. | Chamber size in mms | Holes | Capacity |
|------------------|---------------------|-------------------|----------|
| RG-07701A | 300 x 250 x 100 | 6 holes of 75 mm | 8 L |
| RG-07701B | 300 x 405 x 100 | 12 holes of 75 mm | 15 L |

BELL JAR

Bell Jar**Ground Flange**

Glass knob top, with ground flange.



| Model No. | Height x Dia. |
|-----------------|---------------|
| RG-07801 | 20 x 10 cm. |
| RG-07802 | 22.5 x 15 cm. |

Bell Jar**Ground Joint**

Glass with glass ground stopper on top.



| Model No. | Height x Dia. |
|-----------------|---------------|
| RG-07801 | 20 x 10 cm. |
| RG-07802 | 22.5 x 15 cm. |

BRUSHES

Brushes**Test Tube**

With fan- shaped end, on galvanized steel wire handle.

Bristle:

| Model No. | For Tubes Dia. |
|-----------------|----------------|
| RG-07851 | 10-12 mm |
| RG-07852 | 16-25 mm |

Nylon:

| Model No. | For Tubes Dia. |
|-----------------|----------------|
| RG-07853 | 10-12 mm |
| RG-07854 | 16-25 mm |



Brushes Test tube, Yarn Tip

Bristle with cotton yarn tip, on galvanized steel wire handle.



Bristle:

| Model No. | Tapered Head | For Tubes Dia. |
|-----------|--------------|----------------|
| RG-07901 | 24-13 mm | 12-16 mm |
| RG-07902 | 35-25 mm | 16-25 mm |

Nylon:

| Model No. | Tapered Head | For Tubes Dia. |
|-----------|--------------|----------------|
| RG-07903 | 24-13 mm | 12-16 mm |
| RG-07904 | 35-25 mm | 16-25 mm |

Brushes Test tube, Galvanized wire

Bristle, head size 50 x 19 mm. on galvanized wire, overall size 230 mm.

| Model No. | Brush |
|-----------|----------------------------|
| RG-07951 | Brushes Test Tube, Bristle |
| RG-07952 | Brushes Test Tube, Nylon |



Brushes Flask

Bristle, for round bottom flask up to 100 mm dia. on galvanized wire handle. Overall length 480 mm.

| Model No. | Brush |
|-----------|------------------------|
| RG-07961 | Brushes Flask, Bristle |
| RG-07962 | Brushes Flask, Nylon |



Brushes Beaker

Bristle, on wooden handle, 40 cm. long, size 65 x 45 x 150 mm.

| Model No. | Brush |
|-----------|--------------------------|
| RG-08001 | Brushes Beakers, Bristle |
| RG-08002 | Brushes Beakers, Nylon |



Brushes Pipette

Bristle, head size 125 x 10 mm. overall length 700 mm. for pipettes and tubes from 8-12 mm dia.

| Model No. | Brush |
|-----------|--------------------------|
| RG-08151 | Brushes Pipette, Bristle |
| RG-08152 | Brushes Pipette, Nylon |



Brushes Burette

White bristle, on galvanized steel wire handle.

Bristle:

| Model No. | Burette Cap. | Head Dia. | Length |
|-----------|--------------|-----------|--------|
| RG-08101 | 25 | 16 | 610 |
| RG-08102 | 50 | 19 | 760 |
| RG-08103 | 100 | 25 | 915 |

Nylon:

| Model No. | Burette Cap. | Head Dia. | Length |
|-----------|--------------|-----------|--------|
| RG-08104 | 25 | 16 | 610 |
| RG-08105 | 50 | 19 | 760 |
| RG-08106 | 100 | 25 | 915 |



BULBS PIPETTE

Bulbs **Pipette**
Rubber, Pear shaped, for use with pipettes etc.



| Model No. | Cap. |
|-----------|-------|
| RG-08201 | 5 ml |
| RG-08202 | 10 ml |
| RG-08203 | 15 ml |
| RG-08204 | 25 ml |
| RG-08205 | 50 ml |

Bulbs **Rubber** (Cat. No. RG-08221)



Heavy weight rubber, for pipettes & medicine droppers. Dia 5 to 6 mm. capacity 1 & 2 ml.

Teat **Pipette** (Cat. No. RG-08211)
Rubber for use with dropper pipettes.



Bulbs **Latex** (Cat. No. RG-08231)

Made of latex, fits Dia 6 to 8 mm. capacity 2 ml. and 5ml.



CENTRIFUGES

For medical practitioners, pathological laboratories and hospitals for routine centrifuge tests. The unit is fitted with motor for vibration free performance, having built in speed regulator and one non-removable swing out rotor complete with tube carrier. Operates on 220-230 volts 50Hz A.C.

| Model No. | Capacity | R.P.M. | Type of head |
|-----------|-----------|--------|--------------|
| RG-08251 | 4 x 15 ml | 3500 | Swing out |
| RG-08252 | 4 x 15 ml | 3500 | Angle |
| RG-08253 | 6 x 15 ml | 3500 | Swing Out |
| RG-08254 | 6 x 15 ml | 3500 | Angle |



CENTRIFUGES CLINICAL



For medical practitioners, pathological laboratories and hospitals for routine centrifuge tests. The standard unit is fitted with resiliently mounted motor for vibration free performance, a built in 5 step speed regulator and one non-removable angle rotor. Operates on 220-230 volts 50 Hz A.C.

| Model No. | Capacity | R.P.M. | Type of head |
|-----------|-----------|--------|--------------|
| RG-08301 | 4 x 15 ml | 4500 | Swing out |
| RG-08302 | 6 x 15 ml | 4500 | Angle |
| RG-08303 | 8 x 15 ml | 4500 | Angle |

HAND CENTRIFUGE

A Single speed hand driven machine consisting of a die casted parts and a steel pinion and worm drive. Screw clamps machine to the bench. Finished in grey color. With removable crank handle.

| Model No. | Buckets | Tubes |
|-----------|---------|-----------|
| RG-08551 | 2 | 2 x 15 ml |
| RG-08552 | 4 | 4 x 15 ml |



BURETTE CLAMP

Burette Clamp Single

To hold burette, sheet metal, die-pressed, with built in boss head.

| Model No. | Burette Clamp |
|-----------|-----------------------|
| RG-08401 | Burette Clamp- single |
| RG-08402 | Burette Clamp- Double |



Burette Clamp Double

Comprising a high strength alloy casting jaws. Suitable for all burettes up to 100 ml

| Model No. | Burette Clamp |
|-----------|-----------------------|
| RG-08451 | Burette Clamp- single |
| RG-08452 | Burette Clamp- Double |



Burette Clamp Alloy casting jaws

These burette clamp has high strength scissor type alloy jaws suitable for all burette upto 100mm

| Model No. | Brush |
|-----------|-----------------------|
| RG-08501 | Burette Stand- single |
| RG-08502 | Burette Stand- Double |



CORK STOPPER BARK



| Model No. | Bottom | Top | Length | Pack |
|-----------|--------|-----|--------|------|
| RG-08601 | 4 | 6 | 13 | 10 |
| RG-08602 | 5 | 8 | 13 | 10 |
| RG-08603 | 7 | 10 | 13 | 10 |
| RG-08604 | 8 | 11 | 16 | 10 |
| RG-08605 | 9 | 13 | 17 | 10 |
| RG-08606 | 10 | 14 | 19 | 10 |
| RG-08607 | 11 | 16 | 20 | 10 |
| RG-08608 | 12 | 17 | 22 | 10 |
| RG-08609 | 13 | 19 | 24 | 10 |
| RG-08610 | 14 | 21 | 25 | 10 |
| RG-08611 | 15 | 22 | 27 | 10 |
| RG-08612 | 18 | 24 | 29 | 10 |
| RG-08613 | 20 | 25 | 31 | 10 |
| RG-08614 | 21 | 27 | 31 | 10 |
| RG-08615 | 22 | 29 | 31 | 10 |
| RG-08616 | 24 | 30 | 31 | 10 |
| RG-08617 | 25 | 32 | 31 | 10 |
| RG-08618 | 27 | 33 | 31 | 10 |
| RG-08619 | 27 | 35 | 38 | 10 |
| RG-08620 | 30 | 36 | 38 | 10 |
| RG-08621 | 31 | 38 | 38 | 10 |
| RG-08622 | 33 | 39 | 38 | 10 |
| RG-08623 | 34 | 41 | 38 | 10 |
| RG-08624 | 36 | 43 | 38 | 10 |
| RG-08625 | 38 | 45 | 38 | 10 |
| RG-08626 | 39 | 46 | 38 | 10 |


CORK STOPPER BARK

| Model No. | Bottom | Top | Length | Pack |
|-----------|--------|-----|--------|------|
| RG-08651 | 4 | 6 | 13 | 100 |
| RG-08652 | 5 | 8 | 13 | 100 |
| RG-08653 | 7 | 10 | 13 | 100 |
| RG-08654 | 8 | 11 | 16 | 100 |
| RG-08655 | 9 | 13 | 17 | 100 |
| RG-08656 | 10 | 14 | 19 | 100 |
| RG-08657 | 11 | 16 | 20 | 100 |
| RG-08658 | 12 | 17 | 22 | 100 |
| RG-08669 | 13 | 19 | 24 | 100 |
| RG-08660 | 14 | 21 | 25 | 100 |
| RG-08661 | 15 | 22 | 27 | 100 |
| RG-08662 | 18 | 24 | 29 | 100 |
| RG-08663 | 20 | 25 | 31 | 100 |
| RG-08664 | 21 | 27 | 31 | 100 |
| RG-08665 | 22 | 29 | 31 | 100 |
| RG-08666 | 24 | 30 | 31 | 100 |
| RG-08667 | 25 | 32 | 31 | 100 |
| RG-08668 | 27 | 33 | 31 | 100 |
| RG-08669 | 27 | 35 | 38 | 100 |
| RG-08670 | 30 | 36 | 38 | 100 |



STOPPER RUBBER

Solid, superior quality rubber resistance to acid, alkali and ammonia.



| Model No. | Bottom | Top | Length | Pack |
|-----------|--------|------|--------|------|
| RG-08701 | 9 | 11.5 | 20 | 10 |
| RG-08702 | 11 | 14 | 24 | 10 |
| RG-08703 | 13 | 16 | 24 | 10 |
| RG-08704 | 15 | 18 | 24 | 10 |
| RG-08705 | 17 | 20 | 26 | 10 |
| RG-08706 | 18 | 21 | 26 | 10 |
| RG-08707 | 19 | 22.5 | 28 | 10 |
| RG-08708 | 21 | 24.5 | 28 | 10 |
| RG-08709 | 23 | 26.5 | 28 | 10 |
| RG-08710 | 25 | 28.5 | 28 | 10 |
| RG-08711 | 27 | 31 | 32 | 10 |
| RG-08712 | 29 | 33 | 32 | 10 |
| RG-08713 | 31 | 36 | 35 | 10 |
| RG-08714 | 33 | 38.5 | 38.5 | 10 |

STOPPER RUBBER SOLID ASSORTED (RG-8715)

Assorted containing sizes as follows:

7 pieces each of 9, 11, 13, 15, 17 mm. bottom dia and 3 pcs. Each of 18, 19, 21, 23, 25 mm. bottom dia. solid pack of 50.



STOPPER RUBBER ONE HOLE ASSORTED (RG - 08716)

Assorted containing sizes as follows:

7 pieces each of 9, 11, 13, 15, 17 mm. bottom Dia and 3 pcs. Each of 18, 19 21, 23, 25 mm. bottom dia. One hole pack of 50.



STOPPER RUBBER TWO HOLE ASSORTED (RG - 08717)

Assorted containing sizes as follows:

7 pieces each of 9, 11, 13, 15, 17 mm. bottom Dia and 3 pcs. Each of 18, 19 21, 23, 25 mm. bottom dia. Two hole pack of 50.



CORK BORERS

Cork Borer Brass

Nickel-Plated finish. Complete with cleaning rod.

| Model No. | Sets | Size (mm) |
|-----------|-----------|-------------|
| RG-08721 | Set of 6 | Sizes 4-10 |
| RG-08722 | Set of 12 | Set of 4-18 |



Cork Borer Sharpener

Plated metal cone with hinged cutter blade set in slot and handle. For borers dia 4-27mm



| Model No. | Type |
|-----------|-----------------------------------|
| RG-08731 | Cork borer sharpener, sheet metal |
| RG-08732 | Cork borer Sharpener, brass |

Cork Press (RG-08742)

Cast iron, for softening corks evenly by rolling, without increasing the porosity. To accommodate corks up to 32 mm diameter. On wooden base.



Cork Borer Brass - German Pattern

Nickel-Plated finish. Complete with cleaning rod.

| Model No. | Sets | Size (mm.) |
|-----------|-----------|-------------|
| RG-08723 | Set of 6 | Sizes 4-10 |
| RG-08724 | Set of 12 | Set of 4-18 |



Cork Boring Machine (RG-08741)

For drilling uniform and straight holes in cork or rubber stoppers. Cast-iron frame with wood platform 10 cm. diameter to support work and adjustable guide row central hole through wheel spindle for ejector rod and introduction of lubricant (eater of methylated Spirit). Complete with set of 12 nickel-plated borers cutting sizes from 7 to 25 mm.



Blow Pipe Nickel plated brass

Mouth, nickel plated brass, with nipple.

| Model No. | Size |
|-----------|-------|
| RG-08745 | 20 cm |
| RG-08746 | 30 cm |



Charcoal blocks RH-08747

Made from compressed charcoal. Size 25 mm. square pack of 100.

**Filter Paper** Student's quality

Student's quality for use in schools, pack of 100.

| Model No. | Size |
|-----------|---------|
| RG-08756 | 9 cm |
| RG-08757 | 11 cm |
| RG-08758 | 12.5 cm |
| RG-08759 | 15 cm |
| RG-08760 | 18 cm |
| RG-08761 | 21.5 cm |

**Filter Paper** Qualitative Filter Paper

Pack of 100.

| Model No. | Size |
|-----------|---------|
| RG-08775 | 9 cm |
| RG-08776 | 11 cm |
| RG-08777 | 12.5 cm |
| RG-08778 | 15 cm |
| RG-08779 | 18 cm |
| RG-08780 | 21.5 cm |

**Cobalt Glass**

For potassium dry reaction.

| Model No. | Size |
|-----------|---------------|
| RG-08751 | 5 X 2.5 cms |
| RG-08752 | 7.5 x 2.5 cms |
| RG-08753 | 7.5 x 5 cms |

**Filter Paper** Premium Filter Paper

Pack of 100.

| Model No. | Size |
|-----------|---------|
| RG-08765 | 9 cm |
| RG-08766 | 11 cm |
| RG-08767 | 12.5 cm |
| RG-08768 | 15 cm |
| RG-08769 | 18 cm |
| RG-08770 | 21.5 cm |

**Filter Sheets**

For laboratories, pack of 500 sheets

| Model No. | Size |
|-----------|------------|
| RG-08781 | 45 x 45 cm |
| RG-08782 | 46 x 57 cm |

**Glass wool**

| Model No. | Size |
|-----------|----------------|
| RG-08783 | Pack of 250 gm |
| RG-08784 | Pack of 500 gm |

For filtering out fine precipitates when filter papers are unsuitable.

**Filter Pump Brass** (RG-08785)

Made of brass, Complete with stop cock. Used for creating of vacuum when connected with water inlet.

**Filter Pump Brass** (RG-08787)

Nickel plated brass, Edward type. Used for creating of vacuum when connected with water inlet.

**Deflagrating Spoon And Cap** (RG-08790)

Steel cup and rod held by cork in aluminium cap, length 35 cm. and diameter of cap 90 mm. cup 18 mm.

**Deflagrating Spoon** (RG-08791)

Heavy gauge stainless steel wire, for use in test tubes 150 x 25 mm. shaft shaped to prevent contact with wall. Length 20 cm and diameter of cup 18 mm.



Gauge Wire Iron

G.I. wire, with ceramic centre, extra strong quality, in squares, pack of 10 pcs.

| Model No. | Size |
|-----------|---------|
| RG-08791 | 12.5 cm |
| RG-08792 | 15 cm |



Clay Pipe Triangle

Clay pipe, on thick iron wire.

| Model No. | Size |
|-----------|---------|
| RG-08795 | 5 cms |
| RG-08796 | 6 cms |
| RG-08797 | 7.5 cms |



Spirit Lamp

Glass

With metal wick holder and glass stopper.

| Model No. | Capacity |
|-----------|----------|
| RG-08801 | 60 ml |
| RG-08802 | 125 ml |



Spirit Lamp

Glass (Cat. No. RG-08805)

Polyhedral, heavy duty allows the position of flame at just the right angle for each task, complete with cap and one wick.



Spirit Lamp

Brass, S.S Sheet

Sheet dia pressed, with woven wick in metal holder, screw on cap. Capacity 80 ml.

| Model No. | Material |
|-----------|-----------------------|
| RG-08807A | Brass sheet |
| RG-08807B | Stainless steel sheet |



Wire Platinum

(RG-08810)

For flame test, fused into glass handle.



Wire Holder

(RG-08811)

Nickel plated brass with screw chuck, which accepts wire on needle up to 24 SWG.



Watch Glasses

(RG-08815)

Polished, ground edges.



| Model No. | Sizes |
|------------|----------|
| RG-08815 A | 5 cms |
| RG-08815 B | 6 cms |
| RG-08815 C | 7.5 cms |
| RG-08815 D | 9 cms |
| RG-08815 E | 10cms |
| RG-08815 F | 12.5 cms |
| RG-08815 G | 15 cms |

Pipettes dropping Glass

(RG-08820)

Glass body, length 125 mm. supplied with latex teat. Useful for dispensing liquid from test tubes.



Pipette Filler

(RG-08821)



Bulb type, for pipetting noxious solutions, microbial suspensions and other harmful and unpleasant solutions. Comprises a bulb and three pinch valves controlling influx and efflux of pipette contents. Bulb diameter in 54 mm.

| Model No. | Colour |
|------------|--------|
| RG-08821 A | RED |
| RG-08821 B | BLACK |
| RG-08821 C | BLUE |
| RG-08821 D | YELLOW |

Pipette Stand (RG-08830)

Wooden and polished, to hold 12 pipettes horizontally. Height 23 cms. Width 26 cms. And depth 12 cms.

Pipette Stand (RG-08835)

Wooden and polished, to hold Vertically pipettes of assorted sizes. Fitted with four rubber feet. Height 41 cms. Width 36 cms. and depth 11 cms.

| Model No. | Size |
|------------|-------------------------------|
| RG-08835 A | Pipette stand for 24 pipettes |
| RG-08835 B | Pipette stand for 10 pipettes |

Atomic Model Set (RG-08845)

These sets consist of molded balls of different colors and sizes along with connecting lugs of different sizes. These set are very helpful in modeling different organic & inorganic compounds.

- SENIOR SET: This set consists of 185 lugs & 370 balls of prescribed colors & sizes packed in molded box having separate space for every particular color & size of ball.
- JUNIOR SET: This set consist of 37 connecting lugs & 75 balls of different colors & sizes packed in a molded box.

| Model No. | Type |
|------------|------------|
| RG-08845 A | Senior Set |
| RG-08845 B | Junior Set |

Atomic Model Set (RG-08846)


These set consist of molded balls of different colors & sizes along with connectors of different sizes. The sizes & shapes of the balls & connecting lugs have been designed in accordance with internationally acceptable standard.



| Model No. | Type |
|------------|-------------|
| RG-08846 A | Student Set |
| RG-08846 B | Teacher Set |

Crystal Model Set (RG-08847)

The crystal model sets contain different coloured jacks (red, black & white) & connectors (long & short) in a prescribed number to be joined together in an illustrated way to form structures like diamond, graphite & sodium chloride.



| Model No. | Type |
|------------|-----------------|
| RG-08847 A | Diamond |
| RG-08847 B | Sodium Chloride |
| RG-08847 C | Graphite |

Safety goggles (RG-08855)

Protect eyes, can be used over normal spectacles.



| Model No. | Type |
|------------|------------------------|
| RG-08855 A | Safety Goggles Clear |
| RG-08855 B | Safety Goggles Colored |

Face Shield (RG-08856)

Clear face shield of polycarbonate provides high impact and splash protection. Ratchet adjustment on the headgear provides comfortable fit.

**Apron White PVC (RG-08857)**

Heavy duty white PVC material, with PVC tie straps. Resistant to most chemicals including strong acids and alkalis.

**Lab Coats (RG-08858)**

Modern styling, white polyester/cotton drill concealed press-stud fastenings, back vent and three large pockets.



Paper Litmus (RG-08859)

For schools. In plastic box of 5 books each with 20 leaves of size 63.5 x 10 mm. wide approx.



| Model No. | Color | Leaves |
|------------|-------|--------|
| RG-08859 A | Red | 100 |
| RG-08859 B | Blue | 100 |

Paper Indicator (RG-08861)

For schools and colleges. Packed in card board/ plastic case of 5 books each with 20 leaves. Total 100 leaves.



| Model No. | Type |
|-----------|------------------------|
| A | Neutral Litmus Paper |
| B | Lead Acetate |
| C | Phenolphthalein |
| D | Starch Iodide |
| E | Starch |
| F | Turmeric |
| G | Cobalt chloride paper |
| H | Potassium Iodide Paper |

PAPER TEST pH (RG-08862)



Best make, for colleges, universities. Supplied in box of 5 books each with 20 leaves of size 63.5 x 10 mm. wide approx. range pH 1 to 14. Total 100 leaves.

| Model No. | Type |
|------------|---|
| RG-08862 A | Paper test pH 1 to 14, in plastic Box |
| RG-08862 B | Paper test pH 1 to 14, in Cardboard Box |

Lens Cleaning Tissue (RG-08863)

Sizes 9 x 15 cms. pack of 25/100 leaves. Used for cleaning lens, camera, spectrophotometer and microscope lenses etc.



Spatula Polypropylene (RG-08865)

Polypropylene, with spoon on one side and a flat construction with knife edge on the other hand.

| Model No. | Size |
|------------|---------|
| RG-08865 A | 15 cms. |
| RG-08865 B | 20 cms. |



Spatula Stainless steel (RG-08866)

One end flat and the other end spoon form, polished. Length.

| Model No. | Size |
|------------|-----------|
| RG-08866 A | 12.5 cms. |
| RG-08866 B | 15 cms. |
| RG-08866 C | 20 cms. |



Spatula Stainless Steel (RG-08867)

Double ended, flat blades, polished length.

| Model No. | Size |
|------------|-----------|
| RG-08867 A | 12.5 cms. |
| RG-08867 B | 15 cms. |
| RG-08867 C | 20 cms. |



Spatula Chattaway (RG-08868)

CHATTAWAY, one end flat and the other end bent up, polished. Length 20 cms.



Spatula Raised Center (RG-08869)

Raised Centre section, one end flat and bent up and other end formed in to a scoop. Stainless steel, length 14 cms.



Spatula trowel (RG-08871)

Stainless steel, double ended with trowel shaped scoops for handling large quantities of material. Length 175 mm and mean width 15 mm.



Spatula **Palette Knife (RG-08871)**

PALETTE KNIFE flexible blade with parallel sides, in wooden handle. Length 15.5 cms



Spatula **Combustion (RG-08873)**

Stainless steel rod with bowl shaped end 14 mm dia. and 2 mm. deep mounted in a wooden handle. For use in heating of small quantities of solids directly in flame.



Jack Laboratory **(RG-08875)**

Strong, stable support for laboratory equipment. The jack has a screw-operated scissor-action mechanism. Minimum height 60 mm, maximum elevation 25 cms top plate size 15 x 13.5 cms, finished in blue color. Maximum load 25 kg.



Tripod Stand Circular **(RG-08876)**

Sheet top, black color. Used with spirit lamps. Supplied without lamp.



Tripod Stand Circular **(RG-08877)**

Cast iron top with steel legs. Finished in black color, with splayed legs. Height 21 cms. and Dia. 13.5 cms.



Tripod Stand Triangular **(RG-08878)**

Cast iron top with steel legs. Finished in black color, with splayed legs.

| Model No. | Length of side | Height |
|------------|----------------|---------|
| RG-08878 A | 12 cms. | 21 cms. |
| RG-08878 B | 15 cms. | 21 cms. |



Tripod Stand Triangular **(RG-08879)**

Stainless steel. Polished, triangular, with base, height 18.5 cms and side of 6.5 cms.



Tripod Stand Circular **(RG-08880)**

Stainless steel, polished, circular, with base.



Tripod Stand Circular **(RG-08881)**

Stainless steel. Polished, Height 22cm. and inner dia. 6.5 cm.



Base Retort Stand Rectangular **(RG-08882)**

Steel base with tapped hole 10 x 1.5mm. metric thread in the center of one color and fitted with rubber sleeve

| Model No. | Length | Width |
|------------|----------|----------|
| RG-08882 A | 16 cm. | 10 cm. |
| RG-08882 B | 20 cm. | 12.5 cm. |
| RG-08882 C | 25 cm. | 16 cm. |
| RG-08882 D | 31.5 cm. | 20 cm. |



Base Retort Stand Triangular **(RG-08883)**

Cast iron base with blue / black color. Base provide three point support for stability. Tapped hole.

| Model No. | Size |
|------------|-------------|
| RG-08883 A | Medium |
| RG-08883 B | Large |
| RG-08883 C | Extra Large |



Base Retort Stand Rectangular (RG-08884)

Economical, steel plate base. 10 mm. tapped bushes pressed into them.

| Model No. | Length | Width |
|------------|--------|----------|
| RG-08883 A | 16 cm. | 10 cm. |
| RG-08883 B | 20 cm. | 12.5 cm. |

**Base Retort Stand Rectangular (RG-08885)**

Pressed steel base with hole 10 x 1.5 mm. metric thread in the center of one short side. Finished in blue / grey color

| Model No. | Length | Width |
|------------|----------|----------|
| RG-08885 A | 16 cm. | 10 cm. |
| RG-08885 B | 20 cm. | 12.5 cm. |
| RG-08885 C | 25 cm. | 16 cm. |
| RG-08885 D | 31.5 cm. | 20 cm. |

**Boss Head (RG-08887)**

For use with laboratory stand, die casted alloy, accepts rope up to 16mm. diameter, which are secured with nickel plated brass Tommy screws.

**Boss Head (RG-08888)**

For use with laboratory stand, die casted alloy, accepts rod up to 16.5 mm. diameter at right angle to each other.

| Model No. | Type |
|------------|-------------------------------|
| RG-08888 A | Boss Head, Blue Color Finish |
| RG-08888 B | Boss Head, Metal Alloy Finish |

**Boss Head (RG-08889)**

Die casted alloy accepts square and tubular sections up to 16.5 mm. diameter at right angles to each other. Will also hold flat articles such as rules, magnets, drawing board etc.

**Boss Head (RG-08890)**

Die casted, to hold rods for 5-20 mm. Fitted with plastic cap screws for tightness.

| Model No. | Type |
|------------|----------------|
| RG-08890 A | Chrome Plated |
| RG-08891 B | Anodized Black |

**Boss Head (RG-08891)**

Zinc die casted, to hold rods up to 16 mm, two rods can be fitted at any angle.

**Retort Ring Ring Closed (RG-08892)**

Plated mild steel with 8 mm. diameter stem, with open boss fitted with thumb-screw to accept rods from 8 mm to 12.5 mm dia.



| Model No. | I.D. of Ring | Length of Stem |
|------------|--------------|----------------|
| RG-08893 A | 5.0 cms. | 9 cms. |
| RG-08893 B | 7.5 cms. | 9.5 cms. |

Clamp Universal (RG-08893)

Sheet metal, spring controlled coated jaws which can accept 12 to 50 mm. dia. Articles, with brass wing nut, fitted with 15 cm. long mild steel rod.



Clamp **Universal (RG-08894)**

Two prong, die casted with other parts of plated steel, accepts articles from 15-60 mm. dia. Actuated by nickel plated brass pummels and twin screw, the jaws are cork lined. Fitted with 15 cms. Long mild steel rod.



Clamp **Universal (RG-08895)**

Die cast in alloy, with other parts of plated brass, clamp accepts articles from 2-90 mm. diameters. The design of the jaw ensures a firm grip at all angles of opening. The cork liners for the jaws are well secured.



Clamp **Universal (RG-08896)**

Rubber-lined die cast jaw, with clamping tommy-bar screw-through swivels, mounted on 13.5 cms. Rod. Of dia. 8 mm. jaw capacity 90 mm. and overall length 25 cms.



Clamp **Universal Combined (RG-08897)**

Sheet metal clamp universal, spring controlled coated jaws with boss head which accommodates rods up to 15 mm dia.



Clamp **Universal Combined (RG-08898)**

Die casted alloy clamp retort, cork lined with boss head which accommodates rods up to 15 mm. dia.



Clamp **Universal Combined (RG-08899)**

Die casted alloy clamp retort, rubber lined jaws, with boss head which accommodates rods up to 15 mm. dia.



Funnel Stand

Wooden, polished with clamping screws. Rods are approx. 460 x 16 mm. Single base size 200 x 110 mm. Double base size 290 x 110 mm. approx.



Funnel & Burette Stand **Combined stand**

Wooden polished with clamping screws. Rod is approx. 460 x 16 mm. Base size 290 x 110 mm.



(Model- RG8902)

| Model No. | Type |
|------------|---------------------|
| RG-08901 A | Single Funnel Stand |
| RG-08902 B | Double funnel stand |

Test Tube Stand **wooden**

Wooden, polished stand with drilled holes of 22 mm. dia. each, to accommodate 6 tubes. Overall height 11 cms. And length of 23 cms.



Test Tube Stand **wooden**

Wooden, polished stand with drilled holes, 2 of 25 mm. dia. and 4 of 20 mm. to accommodate 6 tubes with overall height of 9 cms and length of 20 cms. Vertical pins are provided for quick drying of the test tubes. Also available for 12 tubes, with 2 holes of 25 mm. dia. and 10 holes of 20 mm. dia.



| Model No. | Type |
|------------|-----------------------------|
| RG-08903 A | Test Tube Stand of 6 Holes |
| RG-08903 B | Test tube stand of 12 Holes |

| Model No. | Type |
|------------|-----------------------------|
| RG-08904 A | Test Tube Stand of 6 Holes |
| RG-08904 B | Test tube stand of 12 Holes |

Test Tube Stand Aluminium

Made from Aluminium sheet, anodized and 3 tier.



| Model No. | Dia. | No. of Holes | | | | |
|------------|------|--------------|----|----|----|----|
| RG-08905 A | 12 | 12 | 18 | 24 | 36 | 48 |
| RG-08905 A | 15 | 12 | 18 | 24 | 36 | 48 |
| RG-08905 A | 18 | 12 | 18 | 24 | 36 | 48 |
| RG-08905 A | 25 | 12 | 18 | 24 | 36 | 48 |

Test Tube Holder Wooden

Wooden, with spring for closing jaws, 18 cms accepts tubes of 11-19 mm. dia. and 26 cms. Accepts tubes up to 30 mm.



| Model No. | Length |
|------------|---------|
| RG-08907 A | 18 cms. |
| RG-08907 B | 26 cms. |

Test Tube Holder Steel & Brass

Strong spring clip, with strip of brass metal in wooden handle accepts tubes 15-25 mm.



| Model No. | Type |
|------------|-------|
| RG-08909 A | Steel |
| RG-08909 B | Brass |

Crucible Tongs Straight

General Purpose Straight tongs, with corrugated jaws, used for handling of hot apparatus.



| Model No. | Type | Length |
|------------|-----------------|--------|
| RG-08911 A | Blackened Steel | 15 cm |
| RG-08911 B | Blackened Steel | 20 cm |
| RG-08911 C | Brass | 15 cm |
| RG-08911 D | Brass | 20 cm |
| RG-08911 E | Stainless steel | 15 cm |
| RG-08911 F | Stainless steel | 20 cm |

Tong Flask Safety RG-08913

Stainless steel, with cork lined rectangular jaws giving an extremely firm grip to flasks of any shape from 100-2000 ml.



Test Tube Stand Aluminium (RG 89506)

'Z' shape, made from 18 gauge Aluminium sheet, anodized, and 3 tier. With 5 holes of 23 mm. dia., 6 holes of 20 mm. dia. and 8 holes of 13 mm. dia. Overall height of 75 mm. and length of 200 mm.



Test Tube Holder Aluminium (RG-08908)

Aluminium with sliding collar and wooden handle, accepts tubes 15-25 mm.



Test Tube Wire Steel (RG-08910)

Plated spring steel wire holder with finger grip. The jaws will accept tubes up to 40 mm. diameter and their alignment maintained by a wire collar. Overall length 16 mm.



Crucible Tongs With Bow

General purpose tongs with bow, with corrugated jaws, used for handling of hot apparatus.



| Model No. | Type | Length |
|------------|-----------------|--------|
| RG-08912 A | Blackened Steel | 15 cm |
| RG-08912 B | Blackened Steel | 20 cm |
| RG-08912 C | Brass | 15 cm |
| RG-08912 D | Brass | 20 cm |
| RG-08912 E | Stainless steel | 15 cm |
| RG-08912 F | Stainless steel | 20 cm |

Tong Beaker Stainless Steel

Stainless steel, covered jaws can hold any beaker from 250-1500 ml. height 36 cm and width of jaw 70 mm.



| Model No. | Type |
|------------|-----------------------|
| RG-08914 A | Asbestos covered jaws |
| RG-08914 B | Silicon covered jaws |

Hoffman Voltmeter**RG-08925**

Borosilicate glass, graduated for the demonstration of the chemical composition of water by volume and the electrochemical equivalent of hydrogen by electrolysis of water. Platinum electrodes mounted in the rubber stoppers are used for the electrolysis of acidified water but carbon electrodes must be used for ammonia solutions or hydrochloric acid. Stop cock and reservoir at apex of outer tubes and inner tube respectively, outer limbs graduated 0-50 x 0-2 ml.

- RG-08925 A: Hoffman voltmeter only with one pair each of carbon and platinum electrodes without clamp and stand, with glass stopcock.
- RG-08925 B: Same as above but with PTFE key stopcock.
Spare & accessories.
- RG-08925 C: Spare carbon electrode in rubber stoppers, overall length 8 cm.
- RG-08925 D: Spare platinum electrode in rubber stoppers, overall length 8 cm.
- RG-08925 E: Power supply 12 volts D.C. for Hoffman voltmeter.
- RG-08925 F: Metal stand with support clamp for supporting voltmeter, fitted with 60 cm long rod and base.

**Carbon Electrodes****RG-08930**

Supplied in pair with flexible plastic holder for easy adjustment of electrodes. Can be used in a beaker or boiling tube. Length 20 cm.

**Glass Tubing Cutter****RG-08932**

With diamond scribing point on spring arm and aluminium alloy body with V-groove. Suitable for use soda and borosilicate glass tubing.

**Glass Cutter Diamond****RG-08933**

For cutting sheets of glass up to 3 mm. thick. Mounted in brass with wooden handle. Overall length 17.5 cm

**Tubing Rubber Red****RG-08935**

Soft quality. Resistant to acid and alkalis. Pack of 10 meters.

| Model No. | Bore | Wall Thickness |
|------------|-------|----------------|
| RG-08935 A | 4 mm | 1.0 mm |
| RG-08935 B | 5 mm | 1.5 mm |
| RG-08935 C | 6 mm | 1.5 mm |
| RG-08935 D | 7 mm | 1.5 mm |
| RG-08935 E | 8 mm | 1.5 mm |
| RG-08935 F | 9 mm | 2.0 mm |
| RG-08935 G | 10 mm | 2.0 mm |
| RG-08935 H | 12 mm | 2.5 mm |

**Tubing Rubber Red****RG-08936**

High pressure, extra soft quality, per meter.



| Model No. | Bore | Wall Thickness |
|------------|---------|----------------|
| RG-08936 A | 3 mm | 3 mm |
| RG-08936 B | 4.5 mm | 3 mm |
| RG-08936 C | 6 mm | 3 mm |
| RG-08936 D | 8 mm | 3 mm |
| RG-08936 E | 9 mm | 3 mm |
| RG-08936 F | 12.5 mm | 4.5 mm |

Tubing Rubber Latex

RG-08 937

Seamless, translucent very flexible suitable for connecting to glass, length 92 cm. approx.

| Model No. | Bore | Wall Thickness |
|-------------|---------|----------------|
| RG-08 937 A | 2.5 mm | 1.0 mm |
| RG-08 937 B | 2.5 mm | 1.5 mm |
| RG-08 937 C | 3.0 mm | 2.0 mm |
| RG-08 937 D | 4.5 mm | 1.5 mm |
| RG-08 937 E | 4.5 mm | 2.0 mm |
| RG-08 937 F | 6.0 mm | 2.0 mm |
| RG-08 937 G | 6.0 mm | 3.0 mm |
| RG-08 937 H | 7.5 mm | 3.0 mm |
| RG-08 937 I | 9.0 mm | 3.0 mm |
| RG-08 937 J | 12.0 mm | 3.0 mm |



Gas Tap

Brass, lever handle, spring loaded arrangement, locking arrangement to ensure rotation does not go beyond 90°, standard 3mm. bore, inlet ¼ inches BSP, flange Dia 54 mm. with three screws to fix on bench or any other surface. Finished in black / chrome.



| Model No. | Type |
|-------------|-----------|
| RG-08 945 A | One way |
| RG-08 945 B | Two way |
| RG-08 945 C | Three way |
| RG-08 945 D | Four way |

Water Tap

Swan Neck

Brass, chrome finish, inlet tall is threaded ½ inch BSP outlet tube is made out of 15 mm. brass tubing which is coupled to the tap standard by means of sleeve not allowing neck to swivel or be locked in a desired position. Leak proof operation, bench mounting.



| Model No. | Type |
|-------------|-----------|
| RG-08 950 A | One way |
| RG-08 950 B | Two way |
| RG-08 950 C | Three way |

The rm ometers, Mer cury, W hite Backed

RG-08 955

Mercury is filled in glass, with white enameled back and reinforced bulbs. General purpose stirring thermometers. Supplied with non-roll fitting Diameter 6.5 mm. approx. and 76 mm. immersion. Graduated and supplied in case.

| Model No. | Range (°C) | Grade (°C) | Length (mm.) |
|-------------|------------|------------|--------------|
| RG-08 955 A | -10 to 50 | 0.5 | 305 |
| RG-08 955 B | -10 to 110 | 0.5 | 305 |
| RG-08 955 C | -10 to 110 | 1.0 | 305 |
| RG-08 955 D | -10 to 150 | 1.0 | 305 |
| RG-08 955 E | -10 to 250 | 1.0 | 305 |
| RG-08 955 F | -10 to 360 | 2.0 | 305 |



The rm ometers, Mer cury, Yellow Backed

RG-08 960

Mercury is filled in glass, with Yellow enameled back and reinforced bulbs. General purpose stirring thermometers. Supplied with non-roll fitting Diameter 6.5 mm. approx and 76 mm. immersion. Lines and numbers are permanently to glass.



| Model No. | Range (°C) | Grade (°C) | Length (mm.) |
|-------------|------------|------------|--------------|
| RG-08 960 A | -10 to 50 | 0.5 | 305 |
| RG-08 960 B | -10 to 110 | 0.5 | 305 |
| RG-08 960 C | -10 to 110 | 1.0 | 305 |
| RG-08 960 D | -10 to 150 | 1.0 | 305 |
| RG-08 960 E | -10 to 250 | 1.0 | 305 |
| RG-08 960 F | -10 to 360 | 2.0 | 305 |

Thermometers, Red/ Blue Spirit Filled

Spirit filled glass, with White enameled back and reinforced bulbs. General purpose stirring thermometers. Supplied with non-roll fitting. Diameter 6.5 mm. approx. and 76 mm. immersion. Lines and numbers are permanently to glass.



| Model No. | Range (°C) | Grade (°C) | Length (mm.) |
|------------|------------|------------|--------------|
| RG-08961 A | -10 to 50 | 0.5 | 305 |
| RG-08961 B | -10 to 110 | 0.5 | 305 |
| RG-08961 C | -10 to 110 | 1.0 | 305 |
| RG-08961 D | -10 to 150 | 1.0 | 305 |
| RG-08961 E | -10 to 250 | 1.0 | 305 |
| RG-08961 F | -10 to 360 | 2.0 | 305 |

Thermometers, Red/ Blue Spirit Filled

Yellow enameled back and reinforced bulbs filled with red/ blue spirit. General purpose stirring thermometers. Supplied with non-roll fitting. Diameter 6.5 mm approx. and 76 mm. immersion lines and numbers are permanently fused to glass.



| Model No. | Range (°C) | Grade (°C) | Length (mm.) |
|------------|------------|------------|--------------|
| RG-08965 A | -10 to 50 | 1.0 | 305 |
| RG-08965 B | -10 to 110 | 1.0 | 305 |
| RG-08965 C | -10 to 150 | 1.0 | 305 |

Salt Bridge

(RG-08980)

For use in experiments involving the measurement of cell EMF under conditions of forward, zero and reverse current flow. The bridge comprises an inverted "U" tube with its ends closed by sintered discs. This apparatus provides a more effective method of making reversible cells than the filter paper or agar gel methods. Dia of arms 13 mm, overall width 80 mm., overall height 100 mm.



Neutral Glass Tubing


Neutral Glass, light wall, heat and chemical resisting/ supplied in length of 0.5 meter approx. and in pack of 10 tubes.



| Model No. | Dia |
|------------|-------|
| RG-08990 A | 4 mm |
| RG-08990 B | 5 mm |
| RG-08990 C | 6 mm |
| RG-08990 D | 7 mm |
| RG-08990 E | 8 mm |
| RG-08990 F | 10 mm |
| RG-08990 G | 13 mm |
| RG-08990 H | 15 mm |
| RG-08990 I | 17 mm |
| RG-08990 J | 19 mm |
| RG-08990 K | 21 mm |
| RG-08990 L | 22 mm |

Borosilicate Glass Tubing

Borosilicate glass 3.3, light wall, length of 0.5 meter approx.



| Model No. | Dia |
|------------|-------|
| RG-08995 A | 4 mm |
| RG-08995 B | 5 mm |
| RG-08995 C | 6 mm |
| RG-08995 D | 7 mm |
| RG-08995 E | 8 mm |
| RG-08995 F | 9 mm |
| RG-08995 G | 10 mm |
| RG-08995 H | 12 mm |
| RG-08995 I | 14 mm |
| RG-08995 J | 16 mm |
| RG-08995 K | 18 mm |
| RG-08995 L | 20 mm |
| RG-08995 M | 25 mm |

Tube Delivery

RG-09005

Glass, outside dia. 6 mm. set of 4 comprising of
1 Short, straight, 70 mm. length
1 Long, straight, 170 mm. length
1 90° bends, arms, 60 mm. and 160 mm. length
1 90° bends, arms, 60 mm. length



Tubing Capillary

Soda Glass, length 0.5 meter approx. pack of 10.



| Model No. | O.D | Bore |
|------------|------|--------|
| RG-09010 A | 5 mm | 0.4 mm |
| RG-09010 B | 6 mm | 0.8 mm |
| RG-09010 C | 7 mm | 1.2 mm |

KIND ATTENTION !

We supply a comprehensive range of educational and school lab apparatus, covering more than 10000 items. If you are unable to find the products which you are looking for in this catalogue, please contact us with your query and we will be happy to assist you.



TEST
Glassware

